



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU _49

CASE NO. 620P

TYPE OF ACCIDENT Utility/Ped/Off road moving parallel

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

VI was traveling east on a driveway from a bank, planning to turn right on to a divided asphalt urban street to travel south. Pl was walking north on a sidewalk near the west edge of the street, attempting to cross the bank driveway. As VI approached Pl from his left, he turned toward VI and extended his arms to brace against the approaching vehicle. The front-left of VI struck Pl and knocked him into the outside southbound lane. Pl struck his head on the pavement and came to rest in the outside southbound lane. VI traveled a short distance eastward after impact and came to rest with its front near the west edge of the street head eastward or slightly southeastward. Pl was transported to a local hospital and died four days later of head injuries. VI was driven.

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/		Most (TO BE COMPLE	Severe	lnjury / ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	90	Male	Fatal	Head	Brain	5	Gronnd

Body Region	Type of Anatomic Structure
Head	Whole Area
Face	Vessels
Throat	
Chest	Nerves
	Organs
Abdomen/Pelvis	Skeletal
Spine	Head-LOC
Upper Extremity	
Lower Extremity	Skin-Burn
LOWER LAUGHINLY	Skin_Other

Abbreviated Injury Scale


- (1) Minor injury (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity


C. VEHICLE PROFILE							
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Large utility 91/Chev/Suburban		Front	Light, scratches only			

Skin-Other

DO NOT SANITIZE THIS FORM

External







U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM


National Highway Traffic Safety Administration

HS Form 431B (1/95)

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter =

meters





U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 4 9	_	Case N	lumber-Stratum <u>6</u>			
PEDESTRIAN ACCIDENT CO	LLISION DATA C	COLLECTION	SCALED DIAGRAM			
document reference point and reference line relative to physical features	Surface Type	CONS(11)	north arrow placed on diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n <u>WY</u>	grade measurements for all applicable roadways			
a) vehicle skid marks	Coefficient of Fri		scaled representations of the physical plant including: a) all road/roadway delineation (e.g.,			
b) pedestrian contacts with ground or object	Grade (v/h) Mea	PRE - 14PMT = 912 isurement -91	 a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markin parked vehicles, poles, signs, etc.) 			
c) vehicle/pedestrian point of impact (POI)	a) at impa		b) all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) between	en impact and $-9/12$	 scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either: 			
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	et Direction <u>V</u>	a) physical evidence, or			
documentation of the physical plant including:	Vehicle Travel D	Direction	b) reconstructed accident dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Trave	el Lanes				
b) all traffic controls (e.g., lights, signs)						
Reference Point: Plo. (-NEDLI) TO WE STRAT		Reference Line: ညမ				
ltem		Distance and Direction from Reference Point				
Blood Splu		4.55	2.0€			
	· · · · · · · · · · · · · · · · · · ·					

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		`

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number	

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

NUMBER OF EVENTS

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that

has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

11. Number of Recorded Events in This Accident

6. ____SS15 Administrative Use

8. SS17 Impact Fires

10. SS19 __

7. SS16 Pedestrian Crash Data Study

9. SS18

0 1

0

1

0

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage	
12. <u>0 1</u>	13. <u>0 1</u>	14. 12	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM

National Highway Traffic Safety PEDESTRIAN CRASH DATA STUDY Administration 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest (Autopsy) kilogram. 2. Case Number - Stratum (999) Unknown 1 4 pounds X .4536 = 5 1 kilograms 3. Pedestrian Number <u>0 1</u> PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (Antops, (8) Other (specify):_____ centimeter. (9) Unknown (999) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest Moving in road, with traffic (03) centimeter. Moving in road, against traffic (04)(999) Unknown (05) Off road, approaching road (06) Off road, going away from road inches X 2.54 = ____ centimeters (07) Off road, moving parallel Off road, crossing driveway (80)8. Pedestrian's Height - Ground to Hip Off road, moving along driveway (09)Code to the nearest (98) Other (specify): centimeter. (99) Unknown (999) Unknown inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest (2) Facing away centimeter. Left side to vehicle (3)(999) Unknown Right side to vehicle (4)Other (specify): inches X 2.54 = ____ centimeters (8)Unknown

HS Form 435H (7/95) This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate and timely.

PEDESTRIAN'S AVOIDANCE ACTIONS

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to:	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.)
(11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify):	 (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head (98) Other (specify):
PEDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	(05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify):
(5) Down (8) Other (specify): (9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): (99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: P.A.R.		Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
(o) Similowii		27. Type Of Medical Facility
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>Q</u>	(0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
		28. Hospital Stay (00) Not Hospitalized
		Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO3 (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO3 (96) ABGs reported, HCO3 unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death Death Loc 35. 2nd Medically Reported Cause of Death Local Mem. 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [4] UPDATE CANDIDATE?	YES[]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0_1

2. Case Number - Stratum

620 P

4. Blank

<u>_X_X</u>


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>2</u>	6. <u>7</u>	7. <u>9</u>	8. <u>04</u>	9. <u>O Z</u>	10. <u>l</u>	11. 🚣	12. <u>703</u>	13. <u>(</u>	14,	15. <u>3</u>	16. 2	17.2
2nd	18. 7	19.7	20. <u>9</u>	21. <u>0</u> 4	22. <u>0 Z</u>	23.	24. 1	_{25.} 7 0 3	26. 📙	27	28	29. 2	302_
3rd	31.2	32. <u> </u> 4	33. <u>9</u>	34. <u>0</u> 4	35. <u>0</u> 2	36. <u>1</u>	37. <u>O</u>	38. <u>7 0 3</u>	39. <u>(</u>	40. <u>)</u>	41. 3	42.2	43
4th	44. <u>Z</u>	45.2	46. <u>9</u>	47. <u>04</u>	48. <u>J Z</u>	49. <u>1</u>	50. <u>Z</u>	51. <u>77</u>) _{52.} <u>/</u>	53	54. <u>J</u>	55. 1	56.
5th	57. 2	58. <u>6</u>	59. <u>5</u>	60. <u>0 Z</u>	61. <u>2 4</u>	62. 3	63. <u>6</u>	64. <u>77</u> 0	65. 1	66.2	67. <u>2</u>	68. <u>]</u>	69
6th	70. 2	71. <u> </u> 1	72. 9	73. <u>O 6</u>	74. <u>0 2</u>	75. <u> </u>	76. <u>(</u>	77. <u>9 4 7</u>	78. <u> </u>	79. <u> </u>	80. <u>O</u>	81. <u>O</u>	82. <u>O</u>
7th	83.2	84. 1	85. <u>5</u>	86. <u>0 4</u>	87. <u>0</u> 2	88. <u>2</u>	89. Le	90. <mark>94</mark> 7	91. 👢	92.	93. <u>O</u>	94. <u>O</u>	95. <u>O</u>
Bth	96. 🚣	97	98. <u>4</u>	99. <u>0 le</u>	100. 22	-101. <u>3</u>	102. 3	103. 9 4	2 104	105. /_	106. <u> </u>) _{107. <u>Ø</u>}	108.0_
9th	109.2	110. <u>l</u>	111. 👤	112. <u>O 6</u>	113. <u>5_6</u>	114. 5	115. 2	116. <u>94</u>	D 117. <u>⊥</u>	118	119. <u>0</u>	120. <u>Ø</u>	1210
Oth	122. 2	123. 👤	124. 6	125.02	126. <u>1</u> 4	127. <u>5</u>	128. 🔼	129. 94) _{130.} <u>/</u>	131. <u>/</u>	132. <u>O</u>	133. <u>O</u>	134.0

PEDESTRIAN INJURY DATA Injury Source Direct/ Type Source Specific Type of A.I.S. Confidence Indirect Striking Of Damage Injury of Injury Body Anatomic Anatomic Level of Level Injury Profile Damage Depth Severity Aspect Source Structure Data Region Structure Injury 84 3 0 0 06 1 0 12th 13th 14th 15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th 25th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain (0) Injury not from vehicle contact **OFFICIAL** No damage/contact Scratch (Scuff, Cloth Transfer,Smear) Probable (1) Autopsy records with or without hospital/ Possible medical records Unknown (3) (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** (5) Cracked, fractured, shattered summary) Direct contact injury Indirect contact injury (6) Separated from vehicle (3) Emergency room records only (including (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lav coroner report (6) E.M.S. personnel Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Rounded edge (7) Interviewee Sharp edge Other (specify): (5)(4) (8) Other source (specify): (5) Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Head Minor injury Moderate injury Serious injury Face (06) Lumbar (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Thorax Severe injury (5) Abdomen Critical injury (6) (10) Amputation Maximum (untreatable) Spine (7)Upper Extremity Lower Extremity (20) Burn Injured, unknown severity (30) Crush (40) Degloving (8) Level of Injury Unspecified **Aspect** (50) Injury - NFS (90) Trauma, other than mechanical Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure numbers Right (2) Left Whole Area (3) Bilateral Head - LOC To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to (4) (5) (6) (02) Length of LOC (04, 06, 08) Level of Consciousness Vessels Central (3) Nerves Anterior (4) Organs (includes muscles/ (10) Concussion Posterior is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Skeletal (includes joints) (7) (8) (9) Superior (5) Inferior Head - LOC (6) Unknown Whole region INJURY SOURCE **FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank Back Components 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):_____ 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify): (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 779 Rear header 948 Other object (specify): Right Side Components 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 788 Other top component (specify): _ 742 A1 pillar 997 Noncontact injury source

789 Unknown top component

999 Unknown injury source

743 A2 pillar

Restrained

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Loccipitalskull


Blood Alcohol Level (mg/dl)


Glasgow Coma Scale Score

$$GCSS = 4$$


Units of Blood Given

Arterial Blood Gases





OFFICIAL INJURY DATA - INTERNAL INJURIES



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministra ion	OFFICIAL RECORDS
1. Primary Sampling Unit Number	6.6.6
2. Case Number - Stratum 6 20 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit Davey in kmph (000) Helenower
5. Vehicle Make (specify): CHENROLET Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(999) Unknown mph X 1.6093 =kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type	(8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page. 8. Vehicle Identification Number	performed, results unknown (98) No driver present (99) Unknown Source:
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Čab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

' VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest	18. Impact Speed T, b Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	.1 ~//-	1		
2 3 .	Critical Precrash Event		(83) Pedalcyclist or other nonmotorist in roadway	
	This Vehicle Loss of Control Due To:	l	(specify):	
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching	J
	(02) Stalled engine		roadway (specify):	
	(03) Disabling vehicle failure (e.g., wheel fell off)		roadway (specify):(85) Pedalcyclist or other nonmotorist—unknown	
	(specify):		location (specify):	
	(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal	
	up) (specify):		(87) Animal in roadway	
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway	
	(specify):	Ì	(89) Animal—unknown location	
	(06) Traveling too fast for conditions		(90) Object in roadway	
	(08) Other cause of control loss (specify):		(91) Object approaching roadway	
			(92) Object—unknown location	
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):	
	This Vehicle Traveling			
	(10) Over the lane line on left side of travel lane	1	(99) Unknown	
	(11) Over the lane line on right side of travel lane			
	(12) Off the edge of the road on the left side	24.	. Attempted Avoidance Maneuver	(
	(13) Off the edge of the road on the right side		(00) No driver present	
	(14) End departure		(01) No avoidance actions	
	(15) Turning left at intersection	1	(02) Braking (no lockup)	
	(16) Turning right at intersection		(03) Braking (lockup)	
	(17) Crossing over (passing through) intersection		(04) Braking (lockup unknown)	
	(19) Unknown travel direction	l	(05) Releasing brakes	
	Other Motor Vehicle In Lane		(06) Steering left	
	(50) Stopped	l	(07) Steering right	
	(51) Traveling in same direction with lower speed		(08) Braking and steering left	
	(i.e., lower steady speed or decelerating)	İ	(09) Braking and steering right	
	(52) Traveling in same direction with higher speed	ŀ	(10) Accelerating	
	(53) Traveling in same direction with higher speed		(11) Accelerating and steering left	
	(54) In crossover	ŀ		
			(12) Accelerating and steering right	
	(55) Backing		(98) Other action (specify):	
	(59) Unknown travel direction of other motor vehicle in lane		(99) Unknown	
	Other Motor Vehicle Encroaching Into Lane	25	. Precrash Stability After Avoidance Maneuver	ı
	(60) From adjacent lane (same direction)—over left	23.	(0) No driver present	Ь
	lane line		(1) No avoidance maneuver	
	(61) From adjacent lane (same direction)—over right		(2) Tracking	
	•		(3) Skidding longitudinally—rotation less than 30	
	lane line		degrees	
	(62) From opposite direction—over left lane line		(4) Skidding laterally—clockwise rotation	
	(63) From opposite direction—over right lane line		(5) Skidding laterally—counterclockwise rotation	
	(64) From parking lane		(8) Other vehicle loss-of-control (specify):	
	(65) From crossing street, turning into same direction			
	(66) From crossing street, across path	İ	(9) Precrash stability unknown	
	(67) From crossing street, turning into opposite)
	direction	26.	. Precrash Directional Consequences of	<u> </u>
	(68) From crossing street, intended path not known	i	Avoidance Maneuver (Corrective Action)	
	(70) From driveway, turning into same direction		(0) No driver present	
	(71) From driveway, across path		(1) No avoidance maneuver	
	(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance	
	(73) From driveway, intended path not known		maneuver was initiated	
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane	;
	(78) Encroachment by other vehicle—details	l	where avoidance maneuver was initiated	
	unknown		(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was	
	Pedestrian or Pedalcyclist, or Other Nonmotorist		initiated	
	(80) Pedestrian in roadway		(5) Vehicle departed roadway	
	(81) Pedestrian approaching roadway		(6) Avoidance maneuver initiated off roadway	
	(82) Pedestrian—unknown location		(9) Directional consequences unknown	

1	6 -	ENVIRONME	NTA	L D	ATA
27	Relation to Junction	1	22 5	2000	way Surface Condition
27.	(O) Non-junction	- -			Dry
	(1) Interchange area				Wet
	•		(3)	Snow and slush
	Non-Interchange			- •	lce
	(2) Intersection (3) Intersection-related				Sand, dirt or oil Other (specify):
	(4) Drive, alley access related				Unknown
	(5) Other non-interchange (speci	fy):	`	-,	
		-			
	(6) Unknown type of non-interch	nange			ic Control Device
	(9) Unknown if interchange				No traffic control(s) Trafficway traffic control signal (not RR
		•	,	''	crossing)
28.	Trafficway Flow				•
	(1) Not physically divided (two v				ulatory or School Zone Sign (Not RR Crossing)
	(2) Divided trafficway - median	strip without			Stop sign Yield sign
	positive barrier (3) Divided trafficway - median	strin with			School zone sign
	positive barrier	strip with			Other sign (specify):
	(4) One way trafficway				
	(9) Unknown				Unknown sign
					Warning sign (not RR crossing) Miscellaneous/other controls including RR
29	Number of Travel Lanes	2	'	0)	controls (specify):
20.	(1) One				controls (apostry).
	(2) Two		(9)	Unknown
	(3) Three				
	(4) Four (5) Five		25 7	[raff	fic Control Device Functioning
	(6) Six				No traffic control
	(7) Seven or more				Not Functioning
	(9) Unknown				Functioning
			(9)	Unknown
30.	Roadway Alignment	1			
.	(1) Straight	 _	36. L	_igh	t Conditions
	(2) Curve right				Daylight
	(3) Curve left			2)	Dark Dark has linked
	(9) Unknown				Dark, but lighted Dawn
			•	5)	Dusk
31.	Roadway Profile	\perp		-	Unknown
	(1) Level				
	(2) Uphill Grade (>2%) (3) Downhill Grade (>2%)		37	Δtm	ospheric Conditions
	(4) Hillcrest		1		
	(5) Sag		l `	• •	conditions
	(9) Unknown				Rain
				(3)	Sleet
22	Poodway Surface Type	1		(4) (5)	Snow Fog
3 2.	Roadway Surface Type (1) Concrete	4		(6)	Rain and fog
	(2) Bituminous (asphalt)				Sleet and fog
	(3) Brick or Block				Other (e.g., smog, smoke, blowing sand or
	(4) Slag, gravel or stone		,	· • •	dust, etc.) (specify):
	(5) Dirt (8) Other (specify):		[((9)	Unknown
	(8) Other (specify):				
	(9) Unknown				
			I		

Po I to FRP 1, 4m = 4,6 ft

PR time 0,5 5.0 f = 0.25 $5 = V + \frac{V^2}{219}$ $4, b = 0.5 - V + \frac{V^2}{125(0,05)(32.2)}$

0.024v2 + .5v -4,6 = 0

B = 0.5

C = -4.6 $V = \frac{-5 \pm 7(.5)^2 - 4(0.024)(4.6)}{(2)(0.024)}$

=6,9 fps = 4,7 mph = 7,6 kph,

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

1.	Primary	Sampling	Unit	Number
	•			

. 45

3. Vehicle Number

2. Case Number - Stratum

VIN 1GNERIGK 4 ME

Vehicle Make (specify): CHEURS CET

Vehicle Model (specify): 548URA

PEDESTRIAN FRONT CONTACT WORK SHEET

Due To Driver Time Constraints - Video was shot only with grage


PEV06 Hood Material	STEEL	
PEVOS Hood Length	120	រា

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	_37	cm /
PEV17 Front Bumper-Top Height	_57	cm 🗸
PEV18 Forward Hood Opening	<u>97</u>	cm 🗸
PEV19 Front Bumper Lead		cm 🗸

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening	<u> </u>	cm ~
PEV21 Ground to Front/Top Transition Point	104	cm_
PEV22 Ground to Rear Hood Opening	124	cm ~
PEV23 Ground to Base of Windshield	230	cm 🛩
PEV24 Ground to Top of Windshield	291	cm ~
PEV25 Ground to Head Contact	099	cm ~



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTA	ACT WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASU	REMENTS
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASU	REMENTS
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTA	NCES
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

1 29.5 inches x 2.54 = Wheelbase 219.1 inches x 2.54 = 557 cm/ Overall Length 79.6 inches $\times 2.54 = 202$ cm \checkmark Maximum Width $581_{\text{pounds}} \times .4536 = 2.07$ Curb Weight inches $\times 2.54 =$ Average Track 349 inches x 2.54 = Front Overhang inches $\times 2.54$ Rear Overhang $\underline{\underline{}}$ inches x 2.54 = Undeformed End Width Engine Size: cyl./displ. ___ cc x .001 =48 S.7L CID x . 0164 =**INJURY SOURCE** Wheels / tires FRONT 790 Left front wheel / tire 744 B pillar 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 792 Left rear wheel / tire 746 D pillar 702 Front grille 748 Other pillar (specify):__ 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 704 Hood ornament (fixed) 749 Right side roof rail 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 800 Front cross member 708 Turn signal/parking lights 753 Right side folding mirror 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): _ 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack component 734 Left side glazing forward of B pillar 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Winer blade & mountings 737 Rear antenna 828 Other accessory (specify):___ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify): 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _


789 Unknown top component

743 A2 pillar

999 Unknown injury source

ORIGINAL SPECIFICATIONS

VEHICLE DAMAGE SKETCH



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline NOTES: (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

			POINTS	OF PEDEST	RIAN CONTA	СТ									
	PEDESTRIAN CONTACT WORKSHEET														
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED 890Y REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF SEQUENCE CONTACT POINT (Circle)								
A	GRILLE	tigs voit	<u>-51</u>	0	TORSO	CLOTH FIREMS	1 ② 3 9								
B	GRILLE	- Jointo	-86	Ø	HIP	5mv04€	1 ② 32.00								
C	Hoor EDLE	tis con	-42	6	UNK FALE)	BLOOD	1 ② 3 9								
)	BUMPER_ SUMED			0	LOWER (EXILE)	Figary	1 1 2 3 4								
E	SARRT HOOD	+736400-	-73 -	Ö	-Annz	SMUDLET	1 ② 3 9								
F	212,00	24 (G2)	-92	0	N.I	l i	1 (2) 1 10								
	Furaps	along to p	of Left	Fender 1	764		1 2 3 9								
		g .					1 2 2:86								
							1 2 3 9								
							1 2 3 9								
							1 2 3 9								
							1 Z 3:8								
							1 2 3 9								
							1 2 3 9								
							1 2 3 9								
							1 2 325								
							1 2 3 9								
							1 2 3 F								
							1 2 3 9								
							1 2 3:0								
							1 2 3 9								
							1 2 3 9								
							1 2 3 9								
							1 2 3:5:								
							1 2 3 9								

POINTS OF PEDESTRIAN CONTACT

8		÷					-					-				-	ж.			8						7			-				-	88					8	_	-		-	3
		à	ĕ	н	Ł	21	и	1.	ч	r	н	н	И	٠	т	г	8	ŧ.	H	8	Ò	н	и	н	н	1	7	н	٠	н	1	ч	П	н	N	9	E	۲.	Ŀ	г	м	н	ч	Z

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1							1 2 3 9
2							1 2 2 9
3							1 2 3 9
•							1 2 3 9
5							1 2 3 9
t							1 2 3 9
7		`					1 2 3 9
t							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 8
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
27							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9

VEHICLE DIMENSIONS	11 Hood Width Boar Opening
4. Original Wheelbase 329	11. Hood Width Rear Opening Code to the nearest centimeter
nearest centimeter (999) Unknown	(210) 210 centimeters or more (999) Unknown
1295_ inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown inches X 2.54 = centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown	(9) Unknown 13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement (9) Unknown	damaged (9) Unknown if contacted by pedestrian - unknown if damaged FRONT CONTACT DAMAGE
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 =centimeters	inches X 2.54 =centimeters 25. Ground To Head ContactCode to thenearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknowninches X 2.54 =centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

			20000000000		
29.	Centerline of Wheel	000		Side Lateral Messureme	nts
	Code to the				
	nearest centimeter			O	0
	(000) No side contact		35.	. Centerline to A-Pillar	<u> </u>
	(150) 150 centimeters or more		l	at Bottom of Windshield	
	· ·			(000) No side contact	
	(999) Unknown			Code to the	
	•			nearest centimeter	
	inches X 2.54 =	_ centimeters		(250) 250 centimeters or more	
			1	, — - · · · — - · ·	
		_]	(999) Unknown	
30	Top of Tire	000	1		
50.	Code to the		l	inches X 2.54 =	centimeters
			l		
	nearest centimeter				
	(000) No side contact		36	. Centerline to A-Pillar	600
	(200) 200 centimeters or more		1 30.	at Top of Windshield	
	(999) Unknown		1		
				Code to the	
	inches X 2.54 =	centimeters		nearest centimeter	
	inclies \ 2.34 =	_ centimeters	1	(000) No side contact	
			i	(250) 250 centimeters or more	
		~ ^ ~		(999) Unknown	
31.	Top of Wheel Well Opening	000	1	(555) Chancum	
	Code to the			1. L. V 0. F.4	
	nearest centimeter		l	inches X 2.54 =	centimeter
	(000) No side contact		ĺ		
			1		_
	(250) 250 centimeters or more		37	. Centerline to Maximum Side	
	(999) Unknown		1	View Mirror Protrusion	
			l	Code to the	
	inches X 2.54 =	_ centimeters		nearest centimeter	·
			1		
32.	Bottom of A-Pillar at Windshield	000	i	(000) No side contact	
Ŭ - .	Code to the			(300) 300 centimeters or more	
	nearest centimeter		1	(999) Unknown	
			1		
	(000) No side contact		1	inches X 2.54 =	centimeter
	(250) 250 centimeters or more		1		
	(999) Unknown				
				Side Wrap Distance Measur	ements
	inches X 2.54 =	centimeters	P*******		***************************************
			1		
			100	Consumed to Cida/Ton Transition	TOO
22	Top of A Billor of Windshield	000	38	. Ground to Side/Top Transition	WALL
33.	Top of A-Pillar at Windshield		1	Code to the	
	Code to the		ļ	nearest centimeter	
	nearest centimeter		1	(000) No side contact	
	(000) No side contact			(400) 400 centimeters or more	
	(300) 300 centimeters or more			(999) Unknown	
	(999) Unknown		1	(333) GIRHOWH	
	(000) Cinking with		1		
	:b V 2 E4		1	inches X 2.54 =	centimeters
	inches X 2.54 =	— centimeters			
		000	39	. Ground to Hood Edge	<u> </u>
34.	Top of Side View Mirror	000		Code to the	
	Code to the			nearest centimeter	
	nearest centimeter			(000) No side contact	
	(000) No side contact			• •	
	•			(500) 500 centimeters or more	
l	(300) 300 centimeters or more			(999) Unknown	
	(999) Unknown				
			1	inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters	1		
			1		
1					
ı			1		

		•	
40. Ground to Centerline of Hood	000		
Code to the			
nearest centimeter (000) No side contact			
(700) 700 centimeters or more		4	
(999) Unknown			
			·
inches X 2.54 =	_		
41. Ground to Head Contact	000		
Code to the			
nearest centimeter (000) No side contact			
(800) 800 centimeters or more	·		
(998) No head contact			
(999) Unknown			
inches X 2.54 =	centimeters		
	_		
			:
		`	
			•

PEDESTRIAN INTERVIEW FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	Interviewee(s) Role or Name(s): Letter From
2. Case Number - Stratum 6 P	500
3. Pedestrian Number 0 1	
	uestions prior to conducting interview(s) to constant
acquisition of all pertinent data.	uestions prior to conducting interview(s) to ensure the
If the pedestrian was not the person interviewed	d, was an appointment made for a follow-up interview?
PEDESTRIAN'S DESC	CRIPTION OF ACCIDENT EVENTS
WALKING DU SIDEWA	u & VEHICLE PULLED FORWARD
AS ITE CROSSED A DO	RIVELMY & HIT HIM & KNOCKED
Hu lufo the IST (+	INE OF THE STREET.
WITNESS DESCRI	PTION OF ACCIDENT EVENTS

ı
Δ
١
C
I
С
ĺ
D
T
ħ
V
Ī
D
1
L
1
G
Δ
T
V
1



The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

INDICATE NORTH

PSU NUMBER CASE NUMBER YEAR

49	
620 P	
1995	

PEDESTRIAN INTERVIEW FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- [A] PAGE NUMBER (S) ______

6a. Do you know what caused the injuries?

[] Yes - specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).

[] No


PSU Number 4

Case Number – Stratum 6 2 P


Pedestrian Number 0 1

PEDESTRIAN INJURY DATA FROM INTERVIEWEE(S)


Indicate the Location, Lesion, Detail, and Source of all injuries. Specify interviewee(s):




DIED 4 DAYS



SKELETAL INJURIES





2
U.S. Department of Transportation
Nationai Highway Traffic Safety

DRIVER INTERVIEW FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	49	Interviewee(s) Role or Name(s):
2. Case Number - Stratum	620P	2
3. Vehicle Number	0 1	

Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.

If the driver was not the person interviewed, was an appointment made for a follow-up interview?

DRIVER'S DESCRIPTION OF ACCIDENT EVENTS
EXITING FAST BOUND DRIVEWAY TO TURN SOUTH ON
A STREET - LOQUED TO PLANT & SAW NOTHING COMENS
DOWN- SIDEWILL - LOOKED CEFT & WITH PRIFFIC S/15
CLEAMED, I TOOK MY FOOT OF THE BRANE & BERMY
TO EASE FORWARD - LOOKED BACK TO FRONT OF
VEHICLE & SAW RED - 1415 HANDS WENE OUTWAND
BRACIACE KLAINST MY VEHICLE - WHEN MY
VOH HET HIM HE FEL BACKLARDS DN TO
PREMENT IN BY LANGE OF STREET-ISTOPHED
Arnost luner 19724-
OCCUPANT'S DESCRIPTION OF ACCIDENT EVENTS

	ACCIDENT DIAGRAM									
	The use of this diagram is optional. It may se to aid in relating interviewee accident traject data (i.e., pre-impact to FRP orientations) identifiable objects in the environment.	rve ory to								
	INDICATE NORTH									
	Mesol Value									
Dig	WEMPY LA SE SA									
	10 2									
	Swew L									

ational Accident Sampling System-Crashworthiness Dat	
1. Primary Sampling Unit Number	3. Vehicle Number01_
2. Case Number - Stratum <u>6 Zo P</u>	4. Occupant Number <u>0 1</u>
DRIVER CRASH D	ATA QUESTIONS
1. Can you tell me in which direction you were traveling? [] North [] South [* East [] West (Optional - Where were you coming from or going to?	6b. Did the vehicle skid sideways? [] Yes Which way? [] Clockwise [] Counter clockwise
2. In which lane were you traveling? (Note: Lane 1 is designated as the right curb lane.) [1] [2] [3] [4] [] Other (specify):	How much rotation? [] Less than 30° [] 30° or more [] No
3. Can you remember your <u>estimated travel speed</u> (in miles per hour) before the accident? [] Stopped [] 1-10 [] 10-20 [] 20-30 [] 30-40 [] 40-50 [] 50-60 [] 60-70 [] 70+	7. Where was your vehicle at the time of the collision? [
4. Just before the accident, can you tell me what you were intending to do or were doing? [] Going straight	8. Was your travel speed at the time of the collision different from your previous travel speed? [No [] Lower [] Higher [] Unknown 8a. Can you estimate your speed at the time of the collision?
5. Did you experience any loss of control? [V] No [] Yes (If yes, describe below) 6. Did you have to take any avoidance actions prior to the accident? [V] No - Go to question 7 [] Yes - Go to question 6a	[] Stopped [] 1-10 [] 10-20 [] 20-30 [] 30-40 [] 40-50 [] 50-60 [] 60-70 [] 70+ 9. Immediately following the collision, can you describe how your vehicle moved to its stopped position? Stopped [] 1-10 [] 10-20 Much 10-20
6a. What actions did you take? [] Braking with lock-up [] Braking without lock-up [] Releasing brakes [] Accelerating [] Steering left [] Steering right [] Other (specify):	10. What direction was your vehicle facing at final rest? N W E S 11. Where was your vehicle when it came to rest? [Original travel lane [] Different travel lane [] In intersection [] Off roadway to right [] Off roadway to left [] Other (specify):

. Primary Sampling Unit Number	49	3. Vehicle Number <u>0 1</u>
. Case Number - Stratum	<u>620 P</u>	4. Occupant Number <u>0 1</u>
VEHICLE/DRIVER PEDE	STRIAN RELA	TED DATA QUESTIONS (CONTINUED)
3. Did the pedestrian do anything to avoid [] Stopping [] Accelerating pace [] Running away (along vehicle path) [] Jumping [] Turning towards the vehicle [] Turning away from the vehicle	peing hit, like:	29. Where were the pedestrian's legs at impact? Were they: [] Together [] Apart, laterally [] Apart, left leg forward [] Apart, right leg forward [] Apart, forward leg unknown [] Left foot off the ground
 [] Diving or falling away using hands to: [] Vault corner of vehicle [] Yault onto the vehicle [] Brace against vehicle [] Crouch and brace hands against vehicle [] Combination of above (specify): 	nicle	[] Right foot off the ground [] Both feet off the ground [] Other (specify): 30 What happened to the pedestrian after being hit by the vehicle?
[] Other (specify):		- Prmi
5. Where did the pedestrian hit the vehicle Would you say: [] The front [] Corner, or [] Side	?	31. Were there any other pedestrians contacted by your vehicle? [] Yes- How many? continue collecting information (questions 24 through 34 above) for each additional pedestrian contacted.
6. When struck by the vehicle was the ped Facing vehicle [] Facing away [] Left side to vehicle [] Right side to vehicle [] Other (specify):	estrian's chest:	[9 No- End Driver Interview
7. Which way was the pedestrian's head fa (relative to the chest) at impact? [i] To front [] To Left [] To Right [] Up [] Down [] Other (specify):	cing	
8. Where were the pedestrian's arms at im Would you say: [] At sides [] Folded across chest [] Hands clasped behind back [] Hands on hips [] Hands in pockets	pact?	·
one or both arms: [] Extended upward [] Extended to side [A Extended forward, bracing [] Extended forward or backward hold	ing or pulling	
object [] Holding object in arms [] Holing object on shoulder or hand [] Other (specify):		



958.050000000000117350100001

49620P00010012 958.0510000000000112F72000 49620P00010021 8.05 0000000009011704809013905211083132308990809600411046204 1013409101111 49620P00010131 8.05 00000000027904021270311322 8.05 00000000027904021170311322 49620P00010231 49620P00010331 8.05 00000000024904021070311322 49620P00010431 8.05 00000000022904021277011211 49620P00010531 8.05 00000000026502243677012211 49620P00010631 8.05 00000000021906021694711000 49620P00010731 8.05 00000000021504022694711000 8.05 00000000021406223394711000 49620P00010831 49620P00010931 8.05 00000000021406565294711000 49620P00011031 8.05 00000000021602145094711000 49620P00011131 8.05 00000000021406843194711000 8.05 000000009120431161GNER16K4MF 99900009600208000000 49620P01000041 81110916011141211110011 8.05 0000000003291653112017217417610410370570971409710422423 49620P01000051 00000000000000

PSU49 CASE 620P

49620P00000011

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY

	u.				
4			3/	9	Æ.
-			•		

	UMBER OF DLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	Ö	Ö	o	Υ
Pedestrian Injury	O	0	0	Υ
Pedestrian General Vehicle	O	0	O ·	Υ
Pedestrian Exterior Vehicl	e O	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	o	o	0	